

## David Laliberte

---

**From:** David Laliberte  
**Sent:** Wednesday, April 30, 2008 4:57 PM  
**To:** 'gilbert.mclaughlin@gov.ky'  
**Cc:** 'wesley.howell@icta.ky'; 'philip brazeau'; andy.tybell@telecayman.com; 'bob.kanner@telecayman.com'; 'richard.brazeau@javelinbermuda.com'; 'tom.kinstler@telecayman.com'; David Archbold; Mark Connors; 'jasper.mikkelsen@icta.ky'  
**Subject:** Telecayman Request for Government Duct Space - Interrogatories

Mr. McLaughlin,

The Authority hereby requests further information from Government on the following issues:

- (1) Please confirm whether Government, taking into account its reasonably anticipated requirements, has sufficient duct capacity to accommodate Telecayman's request, either in whole or in part. If there is sufficient duct capacity to accommodate only a portion of Telecayman's requirements, please provide a detailed map showing the locations where there is sufficient duct capacity. Also, please provide a detailed explanation of the reason(s) why there is insufficient capacity in certain portions (or all) of the Government duct network.
- (2) If Government has sufficient capacity to accommodate some or all of Telecayman's requirements, please explain why, in Government's opinion, a rate of CI\$0.26 to CI\$0.30 per foot is cost-oriented. Also, please comment on Telecayman's assertion that a lease rate of \$0.03 per linear foot is cost-oriented.
- (3) Please confirm whether Telecayman's proposal to install meet-me boxes at every location where the cable is spliced is acceptable to Government. If not, please explain why not.

Government may wish to file some of these responses in confidence. In this instance, a redacted version of the responses should also be filed with the Authority and served by e-mail upon Telecayman at the e-mail addresses shown above.

The Authority requests that Government file a response to these questions no later than **9 May 2008**. The Authority understands, however that a Cabinet discussion may be required before Government can file a response. Please let us know as soon as possible if you require an extension to accommodate the Cabinet discussions.

Yours sincerely,

### David Laliberté

General Counsel & Head of Licensing and Compliance  
 Information and Communications Technology Authority  
 PO Box 2502, 3rd Floor, Alissta Towers  
 85 North Sound Road, George Town  
 Grand Cayman, Cayman Islands, KY1-1104  
 ☎ Phone: (345) 746-9610  
 📞 Cell: (345) 525-2506  
 📠 Fax: (345) 945-8284  
 ✉ E-mail: david.laliberte@icta.ky  
 🌐 Web: <http://www.icta.ky>  
 LinkedIn: <http://www.linkedin.com/in/davidlaliberte>

*This e-mail is confidential and may be subject to solicitor-client privilege. If the reader is not the intended recipient or its agent, be advised that any dissemination, distribution or copying of this e-mail or any of its content is prohibited. If you have received this e-mail in error, please notify us immediately and delete the e-mail without retaining or printing a copy. Thank you.*