



2 September 2015

Dr. Russell Richards
General Counsel & Deputy Director of Industry Affairs
Information Communication Technology Authority
3rd Floor Alissta Towers
Box 2502 KY1-1104
Grand Cayman

By Email: Russell.richardson@ICTA.ky

Dear Sir;

Re: Request for Further Information

In response to the Information Communications Technology Authority (“ICTA”) letter of 26 August 2015 requesting further information relating to the information provided in the letter from C3 to the ICTA dated 26 June 2015:

Question 1:

Infinity Broadband Ltd (“C3”) makes no claim for confidentiality of any information provided in Table 1 or Table 2

Question 2:

C3 estimated that as of end of Q1 2015 it had attached to #___# CUC poles, it can't be confirm for certain exactly how many poles C3 had attached to as the company was working on two service areas (8/9) simultaneously.

Question 3:

The figures provided in Table 2 that relates to the amount of total Fibre Cable deployed is correct at #___# of that #___# were attached to CUC poles. The difference of #___# is fibre cables that were deployed underground in ducts to provide service to various private developments.

Question 4:

C3 confirms that the average distance is approximately #___# between CUC poles. As dthe outside plant is design the distance is measured, once it is built the design is updated as 'As Built' drawings in CAD design software.

Question 5:

C3 does not intend to may any claim for confidentiality of any content on this letter.



We trust these answers will provide further clarity to the ICTA on the information provided by C3 in the letter and attach documents of 26 June 2015.

Yours truly,

[Signed]
Randy Merren
Managing Director